

# DATA SHEET OF AUTOMATIC TRANSMISSION OIL



GERMAN  
TECHNOLOGY



**Zitta** SAE ATF II



TECHNICAL DATA SHEET OF AUTOMATIC TRANSMISSION OIL

## SPECIFICATION LEVEL

Meets the requirements of ATF II

## TYPICAL PROPERTIES

Density @ °15C,kg/l	ASTM D1298	0.870
Viscosity @ °100C,cSt	ASTM D445	7.0
Viscosity @ °40C, cSt	ASTM D445	37
Viscosity Index	ASTM D2270	160
Brookfield Viscosity@ - 40 °C,cP	ASTM D5293	<50,000
Pour Point,°C	ASTM D97	- 44
Flash Point,°C	ASTM D92	210



**ZITTA** SAE ATF III



## SPECIFICATION LEVEL

Meets the requirements of ATF III

## TYPICAL PROPERTIES

Density @ °15C,kg/l	ASTM D1298	0.860
Viscosity @ °100C,cSt	ASTM D445	7.5
Viscosity @ °40C, cSt	ASTM D445	34
Viscosity Index	ASTM D2270	199
Brookfield Viscosity@ - 40 °C,cP	ASTM D5293	<20,000
Pour Point,°C	ASTM D97	- 42
Flash Point,°C	ASTM D92	<185