

DATA SHEET OF COMPRESSOR OIL



GERMAN
TECHNOLOGY



COMPRESSOR OIL 32



DATA SHEET OF COMPRESSOR OIL

TYPICAL PROPERTIES

Parameters	TEST Method	UNIT	COMPRESSOR OIL
Product Name			32
Density @ °15C,kg/l	ASTM D1298	kg/m ³	871
Flash Point,°C	ASTM D92	°C	220
Viscosity @ °40C, cSt	ASTM D445	mm ² /s	32
Viscosity @ °100C,cSt	ASTM D445	mm ² /s	5.2
Viscosity Index	ASTM D2270		100
Pour Point	ASTM D97	°C	-25



COMPRESSOR OIL 68



DATA SHEET OF COMPRESSOR OIL

TYPICAL PROPERTIES

Parameters	TEST Method	UNIT	COMPRESSOR OIL
Product Name			68
Density @ °15C,kg/l	ASTM D1298	kg/m ³	878
Flash Point,°C	ASTM D92	°C	248
Viscosity @ °40C, cSt	ASTM D445	mm ² /s	68
Viscosity @ °100C,cSt	ASTM D445	mm ² /s	8.6
Viscosity Index	ASTM D2270		97
Pour Point	ASTM D97	°C	-25



COMPRESSOR OIL 100



DATA SHEET OF COMPRESSOR OIL

TYPICAL PROPERTIES

Parameters	TEST Method	UNIT	COMPRESSOR OIL
Product Name			100
Density @ °15C,kg/l	ASTM D1298	kg/m ³	881
Flash Point,°C	ASTM D92	°C	250
Viscosity @ °40C, cSt	ASTM D445	mm ² /s	100
Viscosity @ °100C,cSt	ASTM D445	mm ² /s	11.0
Viscosity Index	ASTM D2270		94
Pour Point	ASTM D97	°C	-25